

# North Carolina Highway Safety Improvement Program

## Potentially Hazardous Intersection Locations in ROWAN County

2010 Cycle

PH Number					Overall																					
State Rank	Total Weight	Divison SHP Troop	Region	Location	Crashes Severity Index																					
79I00061		9	TRIAD	ROWAN (RURAL)	34	<table><tr><th colspan="5">WARRANT INFORMATION</th></tr><tr><th>Warrant</th><th>Crashes</th><th>Percent</th><th>Severity</th><th>Weight</th></tr><tr><td>I-1</td><td>23</td><td>67.6%</td><td>17.72</td><td>3.02</td></tr></table>	WARRANT INFORMATION					Warrant	Crashes	Percent	Severity	Weight	I-1	23	67.6%	17.72	3.02					
WARRANT INFORMATION																										
Warrant	Crashes	Percent		Severity	Weight																					
I-1	23	67.6%	17.72	3.02																						
43	3.02	E	SR 1002 (MP 26.89) AT SR 1221 (MP 12.28)	13.4																						
Excluded: <input type="checkbox"/> Comments:																										
79I00160		9	TRIAD	ROWAN (RURAL)	40	<table><tr><th colspan="5">WARRANT INFORMATION</th></tr><tr><th>Warrant</th><th>Crashes</th><th>Percent</th><th>Severity</th><th>Weight</th></tr><tr><td>I-5</td><td>40</td><td>CROSSING</td><td>10.81</td><td>2.09</td></tr></table>	WARRANT INFORMATION					Warrant	Crashes	Percent	Severity	Weight	I-5	40	CROSSING	10.81	2.09					
WARRANT INFORMATION																										
Warrant	Crashes	Percent		Severity	Weight																					
I-5	40	CROSSING	10.81	2.09																						
141	2.09	E	NC 801 (MP 14.80) AT SR 1951 (MP 3.60)	10.0																						
Excluded: <input type="checkbox"/> Comments:																										
79I00132		9	TRIAD	ROWAN (RURAL)	26	<table><tr><th colspan="5">WARRANT INFORMATION</th></tr><tr><th>Warrant</th><th>Crashes</th><th>Percent</th><th>Severity</th><th>Weight</th></tr><tr><td>I-5</td><td>26</td><td>CROSSING</td><td>15.39</td><td>1.90</td></tr></table>	WARRANT INFORMATION					Warrant	Crashes	Percent	Severity	Weight	I-5	26	CROSSING	15.39	1.90					
WARRANT INFORMATION																										
Warrant	Crashes	Percent		Severity	Weight																					
I-5	26	CROSSING	15.39	1.90																						
170	1.9	E	US 29 (MP 9.30) AT SR 1503 (MP 0.00)	14.3																						
Excluded: <input type="checkbox"/> Comments:																										
79I00140		9	TRIAD	ROWAN (SALISBURY)	43	<table><tr><th colspan="5">WARRANT INFORMATION</th></tr><tr><th>Warrant</th><th>Crashes</th><th>Percent</th><th>Severity</th><th>Weight</th></tr><tr><td>I-1</td><td>27</td><td>62.8%</td><td>8.19</td><td>1.64</td></tr><tr><td>I-3</td><td>20</td><td>46.5%</td><td>6.55</td><td>0.93</td></tr></table>	WARRANT INFORMATION					Warrant	Crashes	Percent	Severity	Weight	I-1	27	62.8%	8.19	1.64	I-3	20	46.5%	6.55	0.93
WARRANT INFORMATION																										
Warrant	Crashes	Percent		Severity	Weight																					
I-1	27	62.8%	8.19	1.64																						
I-3	20	46.5%	6.55	0.93																						
293	1.53	E	SR 1006 (MP 0.91) AT SR 1007 (MP 1.34)	6.55																						
Excluded: <input type="checkbox"/> Comments:																										
79I00123		9	TRIAD	ROWAN (LANDIS)	37	<table><tr><th colspan="5">WARRANT INFORMATION</th></tr><tr><th>Warrant</th><th>Crashes</th><th>Percent</th><th>Severity</th><th>Weight</th></tr><tr><td>I-1</td><td>26</td><td>70.3%</td><td>7.62</td><td>1.47</td></tr></table>	WARRANT INFORMATION					Warrant	Crashes	Percent	Severity	Weight	I-1	26	70.3%	7.62	1.47					
WARRANT INFORMATION																										
Warrant	Crashes	Percent		Severity	Weight																					
I-1	26	70.3%	7.62	1.47																						
317	1.47	E	US 29 (MP 2.93) AT SR 1210 (MP 0.92)	8.5																						
Excluded: <input type="checkbox"/> Comments:																										
79I00135		9	TRIAD	ROWAN (SALISBURY)	56	<table><tr><th colspan="5">WARRANT INFORMATION</th></tr><tr><th>Warrant</th><th>Crashes</th><th>Percent</th><th>Severity</th><th>Weight</th></tr><tr><td>I-1</td><td>34</td><td>60.7%</td><td>5.35</td><td>1.35</td></tr></table>	WARRANT INFORMATION					Warrant	Crashes	Percent	Severity	Weight	I-1	34	60.7%	5.35	1.35					
WARRANT INFORMATION																										
Warrant	Crashes	Percent		Severity	Weight																					
I-1	34	60.7%	5.35	1.35																						
384	1.35	E	SR 1002 (MP 17.56) AT SR 1007 (MP 0.39)	4.17																						
Excluded: <input type="checkbox"/> Comments:																										
79I00147		9	TRIAD	ROWAN (SALISBURY)	33	<table><tr><th colspan="5">WARRANT INFORMATION</th></tr><tr><th>Warrant</th><th>Crashes</th><th>Percent</th><th>Severity</th><th>Weight</th></tr><tr><td>I-1</td><td>25</td><td>75.8%</td><td>6.99</td><td>1.30</td></tr></table>	WARRANT INFORMATION					Warrant	Crashes	Percent	Severity	Weight	I-1	25	75.8%	6.99	1.30					
WARRANT INFORMATION																										
Warrant	Crashes	Percent		Severity	Weight																					
I-1	25	75.8%	6.99	1.30																						
424	1.3	E	US 29 (MP 14.32) AT SR 1703 (MP 0.26)	5.99																						
Excluded: <input type="checkbox"/> Comments:																										
79I00170		9	TRIAD	ROWAN (RURAL)	26	<table><tr><th colspan="5">WARRANT INFORMATION</th></tr><tr><th>Warrant</th><th>Crashes</th><th>Percent</th><th>Severity</th><th>Weight</th></tr><tr><td>I-1</td><td>16</td><td>61.5%</td><td>10.36</td><td>1.23</td></tr></table>	WARRANT INFORMATION					Warrant	Crashes	Percent	Severity	Weight	I-1	16	61.5%	10.36	1.23					
WARRANT INFORMATION																										
Warrant	Crashes	Percent		Severity	Weight																					
I-1	16	61.5%	10.36	1.23																						
481	1.23	E	US 52 (MP 8.31) AT SR 2319 (MP 3.49)	8.18																						
Excluded: <input type="checkbox"/> Comments:																										
79I00155		9	TRIAD	ROWAN (SALISBURY)	58	<table><tr><th colspan="5">WARRANT INFORMATION</th></tr><tr><th>Warrant</th><th>Crashes</th><th>Percent</th><th>Severity</th><th>Weight</th></tr><tr><td>I-1</td><td>30</td><td>51.7%</td><td>4.21</td><td>0.93</td></tr><tr><td>I-3</td><td>29</td><td>50.0%</td><td>6.29</td><td>1.30</td></tr></table>	WARRANT INFORMATION					Warrant	Crashes	Percent	Severity	Weight	I-1	30	51.7%	4.21	0.93	I-3	29	50.0%	6.29	1.30
WARRANT INFORMATION																										
Warrant	Crashes	Percent		Severity	Weight																					
I-1	30	51.7%	4.21	0.93																						
I-3	29	50.0%	6.29	1.30																						
495	1.21	E	SR 2200 (MP 0.56) AT SHAVER (MP 0.54)	6.29																						
Excluded: <input type="checkbox"/> Comments:																										

# North Carolina Highway Safety Improvement Program

## Potentially Hazardous Intersection Locations in ROWAN County

2010 Cycle

PH Number					Overall					
State Rank	Total Weight	Divison SHP Troop	Region	Location	Crashes Severity Index					
79I00142		9	TRIAD	ROWAN (RURAL)	32	WARRANT INFORMATION				
510	1.18	E		SR 1002 (MP 23.15) AT SR 1505 (MP 5.33)	7.3	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-5	32	CROSSING	8.47	1.18	
79I00161		9	TRIAD	ROWAN (RURAL)	21	WARRANT INFORMATION				
538	1.15	E		SR 1243 (MP 2.00) AT SR 1337 (MP 1.40)	10.3	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-5	21	CROSSING	12.53	1.15	
79I00189		9	TRIAD	ROWAN (SALISBURY)	28	WARRANT INFORMATION				
578	1.12	E		INNES AT MARTIN LUTHER KING	3.38	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-2	15	53.6%	4.45	1.12	
79I00141		9	TRIAD	ROWAN (SALISBURY)	31	WARRANT INFORMATION				
713	1.01	E		MAIN AT ROWAN MILL	6.07	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-1	16	51.6%	8.51	1.01	
79I00190		9	TRIAD	ROWAN (RURAL)	26	WARRANT INFORMATION				
792	0.94	E		SR 1006 (MP 6.04) AT SR 2319 (MP 1.13)	5.27	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-1	23	88.5%	5.5	0.94	
79I00139		9	TRIAD	ROWAN (SALISBURY)	20	WARRANT INFORMATION				
848	0.9	E		SR 1703 (MP 0.35) AT CHURCH (MP 11.72)	8.49	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-5	20	CROSSING	9.81	0.90	
79I00163		9	TRIAD	ROWAN (RURAL)	22	WARRANT INFORMATION				
921	0.86	E		SR 1221 AT SR 1238 * POSSIBLE LOOP *	7.81	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-5	22	CROSSING	8.49	0.86	
79I00131		9	TRIAD	ROWAN (SALISBURY)	33	WARRANT INFORMATION				
935	0.85	E		US 29 (MP 15.44) AT SR 1910 (MP 8.17)	3.92	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-1	26	78.8%	4.42	0.85	
79I00171		9	TRIAD	ROWAN (CHINA GROVE)	57	WARRANT INFORMATION				
973	0.82	E		US 29 (MP 6.43) AT US 29A (MP 6.59)	3.34	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-1	29	50.9%	3.81	0.82	
79I00136		9	TRIAD	ROWAN (SALISBURY)	48	WARRANT INFORMATION				
993	0.81	E		SR 1006 (MP 0.13) AT COX	3.78	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-5	48	CROSSING	3.71	0.81	

Traffic Safety Unit

Transportation Mobility and Safety Division

North Carolina Department of Transportation

# North Carolina Highway Safety Improvement Program

## Potentially Hazardous Intersection Locations in ROWAN County

2010 Cycle

PH Number					Overall					
State Rank	Total Weight	Divison SHP Troop	Region	Location	Crashes Severity Index					
79I00181		9	TRIAD	ROWAN (SALISBURY)	43	WARRANT INFORMATION				
1051	0.77	E		ARLINGTON AT FREELAND	3.41	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:						I-1	30	69.8%	3.47	0.77
79I00191		9	TRIAD	ROWAN (SALISBURY)	32	WARRANT INFORMATION				
1099	0.74	E		SR 2541 (MP 0.32) AT BOUNDARY	7.3	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:						I-5	32	CROSSING	5.11	0.74
79I00185		9	TRIAD	ROWAN (EAST SPENCER)	39	WARRANT INFORMATION				
1229	0.66	E		SR 1002 (MP 15.23) AT SR 2100 (MP 3.26)	3.66	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:						I-1	23	59.0%	3.9	0.66
79I00176		9	TRIAD	ROWAN (ROCKWELL)	26	WARRANT INFORMATION				
1255	0.65	E		US 29 (MP 12.49) AT SR 1529	4.7	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:						I-1	14	53.8%	6.29	0.65
79I00168		9	TRIAD	ROWAN (SALISBURY)	47	WARRANT INFORMATION				
1255	0.65	E		SR 2094 (MP 0.09) AT BRENNER (MP 1.60)	2.73	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:						I-1	29	61.7%	3.04	0.65
79I00178		9	TRIAD	ROWAN (SALISBURY)	28	WARRANT INFORMATION				
1255	0.65	E		SR 1007 (MP 0.77) AT MORLAN PARK	6.35	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:						I-1	19	67.9%	7.33	1.03
						I-3	14	50.0%	6.35	0.63
79I00143		9	TRIAD	ROWAN (RURAL)	38	WARRANT INFORMATION				
1471	0.55	E		US 601 (MP 17.74) AT SR 2200 (MP 4.37) * POSSIBLE LOOP *	2.36	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:						I-1	23	60.5%	3.25	0.55
79I00192		9	TRIAD	ROWAN (SALISBURY)	24	WARRANT INFORMATION				
1471	0.55	E		SR 1703 (MP 0.69) AT CALDWELL (MP 1.16)	4.7	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:						I-5	24	CROSSING	4.88	0.55
79I00175		9	TRIAD	ROWAN (RURAL)	27	WARRANT INFORMATION				
1503	0.54	E		US 29 AT SR 1500 * POSSIBLE LOOP *	4.84	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:						I-1	14	51.9%	5.23	0.54

# North Carolina Highway Safety Improvement Program

## Potentially Hazardous Intersection Locations in ROWAN County

2010 Cycle

PH Number					Overall					
State Rank	Total Weight	Divison SHP Troop	Region	Location	Crashes Severity Index					
79I00150		9	TRIAD	ROWAN (SALISBURY)	48	WARRANT INFORMATION				
1536	0.53	E		SR 2200 (MP 2.13) AT MERRITT	2.85	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-1	27	56.3%	2.64	0.53	
79I00180		9	TRIAD	ROWAN (SALISBURY)	30	WARRANT INFORMATION				
1549	0.52	E		US 29 (MP 14.78) AT SR 2052 (MP 0.26)	3.96	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-1	18	60.0%	3.88	0.52	
79I00193		9	TRIAD	ROWAN (SPENCER)	28	WARRANT INFORMATION				
1572	0.51	E		US 29 (MP 17.68) AT SR 1915 (MP 6.12)	3.64	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-1	17	60.7%	4.05	0.51	
79I00169		9	TRIAD	ROWAN (SALISBURY)	34	WARRANT INFORMATION				
1635	0.48	E		US 52 (MP 13.71) AT SR 1007 (MP 1.61) * POSSIBLE LOOP *	2.52	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-1	20	58.8%	3.22	0.48	
79I00194		9	TRIAD	ROWAN (SALISBURY)	27	WARRANT INFORMATION				
1690	0.45	E		SR 1002 (MP 16.58) AT ARLINGTON	2.92	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-1	17	63.0%	3.61	0.45	
79I00177		9	TRIAD	ROWAN (RURAL)	26	WARRANT INFORMATION				
1727	0.43	E		NC 150 (MP 14.14) AT SR 1526 (MP 7.40)	4.98	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-1	13	50.0%	4.42	0.43	
79I00116		9	TRIAD	ROWAN (RURAL)	20	WARRANT INFORMATION				
1782	0.4	E		SR 2340 (MP 0.97) AT SR 2341 (MP 1.54)	4.33	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-5	20	CROSSING	4.7	0.40	
79I00195		9	TRIAD	ROWAN (ROCKWELL)	21	WARRANT INFORMATION				
1888	0.34	E		CRAIG AT HORAH (MP 1.04)	3.11	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-5	21	CROSSING	3.34	0.34	